

# INFECTION CONTROL



## EDITORIAL

### **Antiseptics and Disinfectants—Safe and Effective?**

William A. Rutala, PhD; Eugene C. Cole, DrPH

## ORIGINAL ARTICLES

### **Persistent Isolation of an Unusual *Pseudomonas Sp.* From a Phenolic Disinfectant System**

Kathryn A. Newman, RN, MS; James H. Tenney, MD; Harry A. Oken, MD;  
Marcia R. Moody, PhD; Raynor Wharton, BS; Stephen C. Schimpff, MD

### ***Serratia Marcescens* Meningitis Associated With a Contaminated Benzalkonium Chloride Solution**

Robert L. Sautter, PhD; L.H. Mattman, PhD; Ruben C. Legaspi, MD

### **Assessment of Catheter-Associated Infection Risk With the Hickman Right Atrial Catheter**

Peter C. Fuchs, MD; Marie E. Gustafson, RN;  
James T. King, MD; Patrick T. Goodall, MD

### **Endotoxin Contamination of Foley Catheters Associated With Fever Following Transurethral Resection of the Prostate**

J.F. Gephart, MD

### **Topics in Clinical Microbiology: *Flavobacterium Meningosepticum***

Hilda Ratner

### **Product Commentary: Disposable Suction Canisters**

Sue Crow, RN, MSN

### **Special Report: A Hospitalwide Approach to AIDS— Recommendations of the Advisory Committee on Infections Within Hospitals**

American Hospital Association

Introducing  
a surgical scrub brush with...


# Anti-Sept™

Bactericidal Scrub Solution

Contains parachlorometaxyleneol (PCMX) as the active ingredient.

Nothing is more effective...  
or safer.





**Kill more bacteria in less time.**

When tested by independent laboratories against a wide range of organisms, the new Seamless Surgical Scrub Brush

with Anti-Sept Bactericidal Scrub Solution exhibited a remarkable kill rate. Its range of effectiveness is significantly greater than that of povidone-iodine and hexachlorophene products. What's more, that effectiveness continues during the operation itself. No other bactericidal agent kills better.

**Rigorous research tests substantiate broad-spectrum kill and user safety.**

In rigidly controlled in vitro and in vivo tests, Anti-Sept was consistently effective against a broad spectrum of gram-negative and gram-positive bacteria as well as acid-fast bacilli and fungi. No measurable resistance to Anti-Sept was developed by the organisms tested. The solution also exhibited a potent viricidal effect and proved to be virtually nonirritating and nontoxic.

**Single-use packaging prevents cross-contamination.**

Each Anti-Sept brush is impregnated with PCMX, an odorless, high-foaming bactericidal agent. Brushes are individually packaged to prevent cross-contamination, simplify use, and increase cost-efficiency. And each brush includes a flexible nail pick.

**Extensive research test data now available.**



The Seamless Surgical Scrub Brush with Anti-Sept Bactericidal Scrub Solution has been rigorously tested against competitive products, with results that fully substantiate our claims. Test results are available and may be obtained from Seamless.

See for yourself the difference this exciting new product can make in *your* OR. Call or write today:

Seamless Hospital Products Company  
Box 828, Barnes Industrial Park, North Wallingford, CT 06492  
(Or call toll-free 800-243-3030; in Connecticut, call 203-265-7671)

**Caution:** Federal (USA) law restricts this product to sale by or on order of a physician. Not sterile if damaged or if seal is broken.

© 1983 DART INDUSTRIES, INC. ALL RIGHTS RESERVED. SMS-2013



**Seamless**



# Safe for Scopes



## HEPATITIS

**Sporicidin, diluted 1:16, inactivates the Hepatitis B Virus in 10 minutes.**

*(Centers for Disease Control, Phoenix, Arizona)*

Courtesy of Olympus and ACMI

"SEE US AT BOOTH #400 AT THE APIC MEETING"

**Completely disinfects flexible and rigid scopes in 10 minutes with only 0.13% glutaraldehyde.**

**Safe to use . . .** Does not cloud scope lenses nor harm metals, rubber and/or plastics. Does not stain or irritate the hands. No gloves are necessary for safety. Vapors do not irritate the eyes or nostrils.

**Most effective . . .** The only sterilizing solution which is fully effective against the tubercle bacillus, influenza, hepatitis and enteroviruses when diluted 1 in 16.

**Stable . . .** Fully effective for 30 days after activation.

**Proven . . . The most effective cold sterilant and disinfectant ever registered by the E.P.A.**

"Sporicidin, diluted 1 in 16, (0.13% glutaraldehyde), is effective for high level hospital disinfection . . ."

*Centers for Disease Control, Atlanta, GA  
(Guidelines . . . revised August 1982)*

"This study has determined that although E.P.A. requirements for classifying a sterilizing agent were satisfied by Cidex, they were exceeded by Sporicidin."

*Journal of Dental Research, Vol. 60, March 1981  
(U.S. Army Institute of Dental Research, Wash., DC)*

"Sporicidin . . . was both more stable and more active against test spores than . . . Cidex and Cidex-7."

*Infection Control, 1(2): 90-93, 1980*



**The Sporicidin Company**

4000 Massachusetts Avenue, NW, Washington, DC 20016 Call Toll Free (800) 424-3733

<https://doi.org/10.1017/S0195940000000000>

# Table of Contents

## Editorial

- Antiseptics and Disinfectants—Safe and Effective?** 215  
William A. Rutala, PhD; Eugene C. Cole, DrPH

## Original Articles

- Persistent Isolation of an Unusual *Pseudomonas Sp.* From a Phenolic Disinfectant System** 219  
Kathryn A. Newman, RN, MS; James H. Tenney, MD; Harry A. Oken, MD; Marcia R. Moody, PhD; Raynor Wharton, BS; Stephen C. Schimpff, MD
- Serratia Marcescens* Meningitis Associated With a Contaminated Benzalkonium Chloride Solution** 223  
Robert L. Sautter, PhD; L.H. Mattman, PhD; Ruben C. Legaspi, MD
- Assessment of Catheter-Associated Infection Risk With the Hickman Right Atrial Catheter** 226  
Peter C. Fuchs, MD; Marie E. Gustafson, RN; James T. King, MD; Patrick T. Goodall, MD
- Endotoxin Contamination of Foley Catheters Associated With Fevers Following Transurethral Resection of the Prostate** 231  
J.F. Gephart, MD
- Product Commentary: Disposable Suction Canisters** 235  
Sue Crow, RN, MSN
- Topics in Clinical Microbiology: *Flavobacterium Meningosepticum*** 237  
Hilda Ratner
- Special Report: A Hospitalwide Approach to AIDS—Recommendations of the Advisory Committee on Infections Within Hospitals** 242  
American Hospital Association

## Departments

- |                                |     |                               |     |
|--------------------------------|-----|-------------------------------|-----|
| <b>Information for Authors</b> | 206 | <b>Book Reviews</b>           | 256 |
| <b>Letters to the Editor</b>   | 211 | <b>Index to Advertisers</b>   | 256 |
| <b>Calendar of Events</b>      | 253 | <b>Classified Marketplace</b> | 260 |

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.



**Publisher:** *Infection Control* (ISSN-0195-9417) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare, New Jersey 08086. Telephone: Thorofare (609) 848-1000.

**Copyright 1984:** All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

**Subscriptions:** Subscription requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Scope Incorporated, 11-11, Shoto 2-chrome, Shibuya-Ku, Tokyo 150, Japan. Annual subscription price is: Individual: One year—\$35.00; Two years—\$50.00; Three years—\$65.00. Institutional: One year—\$50.00; Two years—\$65.00; Three years—\$80.00. All subscriptions, without exception, will start with the first issue published after the order is received. Back copies are available, but must be purchased separately. Cost per individual copy is \$5.00. Foreign subscribers add \$15.00 to regular rate: foreign orders, \$6.00.

**Change of address:** Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086. **Postmaster:** Form 3547 requested.

As of Volume 1, Number 1, *Infection Control* is listed in *Index Medicus*, *Current Contents—Clinical Practice*, *Hospital Literature Index*, and *Cumulative Index to Nursing and Allied Health Literature*.

# 10 Reasons for Warming Up to a Cold Sterilant Wavicide-01<sup>®</sup>

1. The *least* expensive sterilant on the market.
2. Approved as a disinfectant, using a 1:4 dilution at room temperature.
3. Ready to use, Wavicide-01 works without an activator.
4. Sporicidal, as proven by AOAC test, at 25°C (10 hrs), 40°C (5 hrs) and 60°C (1 hr).
5. Approved for use in high-power ultrasonic cleaners.
6. Proven effective in continuous 28 day use and re-use with ultrasonic systems, even in the presence of organic matter.
7. Odorless when used as a disinfectant.
8. Will not yellow hands (some disinfectants do).
9. Will not fog or corrode fiberscopes.
10. Stable, long life, *balanced glutaraldehyde* formulation.

For literature or ordering information please contact:  
Wave Energy Systems, Inc.  
130 East 59 Street, 14 Floor  
New York, NY 10022  
(212) 593-3213

➡ Wave Energy Systems Inc.



# Editorial Board

## EDITOR

**Richard P. Wenzel, MD**  
Charlottesville, Virginia

## SENIOR ASSOCIATE EDITOR

**William Schaffner, MD**  
Nashville, Tennessee

## ASSOCIATE EDITORS

**Sue Crow, RN, MSN**  
Shreveport, Louisiana

**John E. McGowan, Jr., MD**  
Atlanta, Georgia

**Dennis G. Maki, MD**  
Madison, Wisconsin



SLACK Incorporated  
6900 Grove Road  
Thorofare, New Jersey 08086

## Publisher

Richard N. Roash

## Managing Editor

Donna Carpenter

## Consulting Editor

Eric Baloff

## Assistant Editor

Jeanne M. Campo

## Circulation Manager

Kevin J. Fenton

## Advertising Manager

Melissa Warner

## Advertising

## Sales Representative

Steven T. Miller

## Classified

## Advertising Representative

Harriet E. Hampton

## EDITORIAL ADVISORY BOARD

**Robert C. Aber, MD**  
Hershey, Pennsylvania

**Charles S. Bryan, MD**  
Columbia, South Carolina

**John P. Burke, MD**  
Salt Lake City, Utah

**Richard E. Dixon, MD**  
Trenton, New Jersey

**Harvey A. Elder, MD**  
Loma Linda, California

**Peter C. Fuchs, MD, PhD**  
Portland, Oregon

**Richard A. Garibaldi, MD**  
Farmington, Connecticut

**Donald A. Goldmann, MD**  
Boston, Massachusetts

**Dieter H.M. Gröschel, MD**  
Charlottesville, Virginia

**Peter A. Gross, MD**  
Hackensack, New Jersey

**Karen Hadley, RN, MPH**  
New Orleans, Louisiana

**Cyrus C. Hopkins, MD**  
Boston, Massachusetts

**Allen B. Kaiser, MD**  
Nashville, Tennessee

**Harold Laufman, MD, PhD**  
New York, New York

**William J. Ledger, MD**  
New York, New York

**Barbara McArthur, RN, MS, PhD**  
Detroit, Michigan

**Rob Roy MacGregor, MD**  
Philadelphia, Pennsylvania

**C. Glen Mayhall, MD**  
Richmond, Virginia

**Ronald Lee Nichols, MD**  
New Orleans, Louisiana

**Harry C. Nottebart, Jr., JD, MD**  
Richmond, Virginia

**Frank S. Rhame, MD**  
Minneapolis, Minnesota

**William E. Scheckler, MD**  
Madison, Wisconsin

**Robert J. Shannon, MSPH**  
Boston, Massachusetts

**Walter E. Stamm, MD**  
Seattle, Washington

**Charles W. Stratton, MD**  
Nashville, Tennessee

**Timothy R. Townsend, MD**  
Baltimore, Maryland

**William M. Valenti, MD**  
Rochester, New York

**James Veazey, MD**  
Albany, New York

**Kathy J. Wydra, RN**  
Geneva, New York

## FOREIGN ADVISORY BOARD

**Graham Ayliffe, MD, FRC Path.**  
Birmingham, England

**Professor G. Berencsi**  
Szeged, Hungary

**Professor Jaap Dankert**  
Groningen, Netherlands

**Professor Dr. F. Daschner**  
Freiburg, West Germany

**Lars O. Kallings, MD**  
Stockholm, Sweden

**Professor W.B. Kędzia**  
Sieroca, Poland

**Professor A.P. Krasilnikow**  
Minsk, USSR

**Professor Dr. W. Marget**  
Munich, West Germany

**Bertil Nyström, MD**  
Huddinge, Sweden

**Ian Phillips, MA, MD, MRC Path.**  
London, England

**Samuel Ponce de Leon, MD**  
Mexico

**Hans Reber, MD**  
Basel, Switzerland

**Professor Gerald Reybrouck**  
Leuven, Belgium

**Manfred L. Rotter, MD, DipBact**  
Vienna, Austria

**Theodore Sacks, MD**  
Jerusalem, Israel

**Dr. Bernhard M. Thimm**  
Federal Republic of Germany

**Professor Dr. med. H.P. Werner**  
Mainz, West Germany

**Professor Dr. W. Weuffen**  
Griefswald, German Democratic Republic