

VOL. XII.—1897.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN**

EDITORS :

JOHN MACINTYRE, M.B., F.R.S.E.,
DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,
ARTHUR SANDFORD, M.D., M.Ch.R.U.I.

W. MILLIGAN, M.D. (Manchester), Sub-Ed.
R. LAKE, F.R.C.S. (London), Managing Sub-Ed.

WITH THE CO-OPERATION OF

DRS. **BARON (Bristol), BETTMAN (Rome), BOTEY (Barcelona),**
CARTAZ (Paris), BRYSON DELAVAN (New York), DODD (Chicago),
DRAISPUL (St. Petersburg), GRAZZI (Florence), GUYE (Amsterdam),
HICGUET (Brussels), MIDDLEMASS HUNT (Liverpool), HUTCHISON (Glasgow),
JOAL (Paris), KARWOWSKI (Warsaw), KELLY (Glasgow),
LACARRET (Toulouse), LICHTWITZ (Bordeaux),
LIEVEN (Aix-la-Chapelle), PROF. JOHN N. MACKENZIE (Baltimore),
PROF. MASSEI (Naples), MEYJES (Amsterdam), E. MEYER (Berlin),
HOLGER MYGIND (Copenhagen), PORTER (St. Louis),
STGEORGE REID (London), RUEDA (Madrid), SAJOUS (Paris),
SENDZIAK (Warsaw), SOTA (Seville), STCLAIR THOMSON (London),
WAGGETT (London), WOODS (Dublin), AND ZIEM (Pantzig).

CONTENTS.

Original Articles—

Atrophic Endorhinitis. Prof. J. N. MACKENZIE	Page 535
Alcoholic Paralysis of Vocal Cord. DUNDAS GRANT	, 540

Societies' Meetings—

TWELFTH INTERNATIONAL MEDICAL CONGRESS, MOSCOW	, 542
BELGIAN SOCIETY OF OTOLGY AND LARYNGOLOGY	, 549
AUSTRIAN OTOLOGICAL SOCIETY	, 556

Abstracts—

Mouth. —Adeno-Carcinoma of Palate, <i>Baurowicz</i> —Stomatitis Ulcerosa, <i>Bernheim</i> — Intermittent Paresis of Palate, <i>Garel</i> —Edematus Urticaria, <i>Gaudier</i> —Hypertrophy of Gums, <i>Heath</i>	Pages 565 to 567
--	------------------

Nose. —Mucous Cysts of Maxillary Sinus, <i>Alexander</i> —Classification of Disease, <i>Baratoux</i> —Frontal Sinus and Intracranial Disease, <i>Blessig</i> —La Grippe and Sinusitis, <i>Cline</i> —Plug- ging Larynx in Nasal Operations, <i>Doyen</i> —Naso-pharyngeal Polypi, <i>Doyen</i> and <i>Gaudier</i> — Olfactometry, <i>Goldzweig</i> —Nasal Opener and Inhaler, <i>Jankau</i> —Leprosy, <i>Jeanselme</i> — Choanal Forceps, <i>Mink</i> —Hypertrophic Rhinitis, Pathology, <i>Polyak</i> —Papilloma, <i>Turner</i> — Nasal Headaches, <i>Snow</i>	Pages 567 to 572
---	------------------

Larynx. —Compressed Air Insufflator, <i>Boulay</i> —Broncho-Biliary Fistula, <i>Graham</i> — Cut-Throat, <i>Hogarth</i> —Foreign Body in Air Passages, <i>Noltenius</i> —Injections of Hot Water, <i>Richel</i> —Is there Hæmorrhagic Laryngitis? <i>Salzburg</i> —Median Osteotomy of Hyoid, <i>Vallas</i>	Pages 573 to 575
---	------------------

Thyroid. —Graves' Disease, <i>Chauffard</i> and <i>Qutun</i> , <i>Doyen</i> , <i>Péan</i> , <i>Poncet</i>	Pages 575 and 576
--	-------------------

Ear. —Unit of Measure for Hearing, <i>Baratoux</i> —Brain Abscess, <i>Barling</i> , <i>Bronner</i> — Aural Vertigo, <i>Blake</i> —Incision of Membrane, <i>Dalby</i> —Otitis Media, <i>Dench</i> —Typical Cases, <i>Fieid</i> —Exostosis, <i>Lee</i>	Pages 576 to 580
---	------------------

Annotations—

Valvular Action of Eustachian Tube, <i>Grant</i>	Page 580
Peripheral Polyneuritis of Auditory and Laryngeal Nerves, <i>Grant</i>	, 581

Reviews—

The Malignant Laryngeal Tumours, <i>Sendziak</i>	, 58
A Text-Book of Diseases of Nose and Throat, <i>Bosworth</i>	, 588

Appointments	, 589
---------------------------	-------

Bibliography	, 589
---------------------------	-------

GUIDE TO ADVERTISEMENTS.

	PAGE
Anatomie Normale et Pathologique des Fosses Nasales	iii.
Bullock & Co.	vii.
Burroughs, Wellcome & Co.	vi.
Central London Throat Hospital	xiv.
Globe Manufacturing Company	x.
Ingram & Royle	vii., xi.
Lambert Pharmacal Co.	ii.
Mayer & Meltzer	xiii.
Pearl Life Assurance Company	x.
Rebman Publishing Company	vii., viii., ix. x.
Slater, Bros. & Crossley	iv.
Woodruff	xii.

NOTES
ON SOME THERAPEUTIC AGENTS.

EUCAINE.—*A New Local Anæsthetic.*

Eucaïne is a synthetic compound allied to cocaine and having a similar chemical composition. Its local anæsthetic action is not unlike that of cocaine, and it has not been found to produce untoward after-effects. The anæsthesia of eucaïne develops more slowly than that of cocaine, but lasts longer. In nose and throat surgery, where a large quantity of anæsthetic has occasionally to be used, it is found to act efficiently, and to be without the poisonous effect previously produced in the same patients by similar doses of cocaine.

Owing to the sparing solubility of eucaïne in cold water, and to the fact that it freely crystallizes from hot water on cooling, it is necessary that solutions for anæsthetic purposes should be made only at the moment they are required. For this purpose "Soloid" brand Eucaïne Hydrochloride is most convenient. By dissolving one or more in definite quantities of warm water, solutions of any desired strength can be instantly prepared, and the operator is assured of obtaining the full anæsthetic effect of the drug. In laryngological practice eucaïne hydrochloride may be used either as a spray or as an injection, in the same strength as cocaine. "Soloid" Eucaïne Hydrochloride is supplied in bottles of 25, 1 gr. at 1s. 8d., and 5 gr. at 7s. per bottle.

RED GUM.—*Styptic, Antiseptic, and Astringent.*

Red Gum, an exudation from the Australian *Eucalyptus rostrata*, is a mild styptic and antiseptic, and an excellent local and general astringent. The *Practitioner* reports: "When a Red Gum 'Tabloid' is allowed to dissolve in the mouth, the continuous action of the drug on the throat is fully secured. Great care has been exercised so to adjust the relative portions of the ingredients that the full therapeutic effect of the drug may be obtained without offending the palate or affecting the appetite." "Tabloid" brand Red Gum is supplied in boxes of 30 and bottles of 100 at 5d. and 1s. per bottle.

TAR.—*Antiseptic, Astringent.*

In a paper entitled "A Mode of Administering Tar," which appeared in the *Medical Press and Circular*, a distinguished physician reports as follows: "I have recently had my attention called to 'Tabloid' Tar, containing one grain, and these, I think, constitute by far the best mode of administering the drug. They contain the whole of the constituents of tar and are palatable, and speedily disintegrate. The new mode of administration is three or four every four hours, but a better plan is to suck one frequently—in fact, every time the cough is troublesome." "Tabloid" brand Tar (1 gr.) supplied in bottles of 50 and 100 at 5d. at 9d. each.

BURROUGHS, WELLCOME, & CO.,

SNOW HILL BUILDINGS, LONDON.

Australasian Address:

108, PITT STREET, SYDNEY.

London Cable and Telegraphic Address:

"BURCOME, LONDON."