

15435

THE JOURNAL
OF
LARYNGOLOGY
AND
RHINOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT AND NOSE.*

EDITED BY

SIR MORELL MACKENZIE, M.D. Lond.

AND

R. NORRIS WOLFENDEN, M.D. Cantab.

WITH THE CO-OPERATION OF

DR. G. HUNTER MACKENZIE (EDINBURGH)
DR. FAUVEL (PARIS)
DR. JOAL (MONT DORE)
PROF. MASSEI (NAPLES)
PROF. GUYE (AMSTERDAM)
DR. CAPART (BRUSSELS)
DR. CONSTANTIN KARWOWSKI
(WARSAW)

DR. MICHAEL (HAMBURG)
PROF. RAMON DE LA SOTA Y LASTRA
(SEVILLE)
DR. HOLGER MYGIND (COPENHAGEN)
DR. SMYLY (DUBLIN)
DR. DAVID COLLINGWOOD (SYDNEY)
DR. G. W. MAJOR (MONTREAL)
DR. MAXWELL ROSS (EDINBURGH)

AND

Dr. JOHN N. MACKENZIE
for America.

VOL. II.—1888.

LONDON:
R. ANDERSON & CO.,
14, COCKSPUR STREET,
CHANCING CROSS, S.W.

PHILADELPHIA:
P. BLAKISTON, SON & CO.,
1012, WALNUT STREET.

CONTENTS.

- Original Article**, p. 187.—Hahn's Operations of Resection of the Larynx.
- New Instruments and Therapeutics**, p. 191.—MACKENZIE: Nasal Saw. BRESGEN: New Instruments. SCHECH: Laryngophantom. ROE: Electric Saw. MAJOR: Adenomatome. WHITE: Cocaine in Croup. PITTS: Poisoning by Cocaine. VRUNNELA: Cocaine in Throat and Nose Diseases. DODGE: Anti-pyrine in Asthma. JENNINGS: Anti-pyrine as an Anodyne. MACDONALD: Sugar and Tea. HEYMANN: The Climate of Egypt. SIMPSON: The Treatment of Whooping Cough. JEFFRIES: Anti-bacterial Action of Iodoform. GENOIS: Deodorised Iodoform.
- Diphtheria**, p. 194.—CHEATHAM and OUCHTERLONY: Identity and Non-identity of Pseudocroup and Diphtheria. MINNICH: *Ibid.* LUDWIG: On Diphtheria. CAILLE: A Method of Prophylaxis. FERGUSON: Clinical Study. MALLOCH: Tracheotomy in Diphtheria. GUTH: Statistics of the Lazarenkrankenhaus. WESENER: Two Cases. WACHSMUTH: Diphtheria, Scarlatina, and Morbilli. HOFFMANN: The Loeffler Bacillus. HEYGATE: Diphtheria during Pregnancy. VILATO: Diphtheritic Paralysis. MACDONNELL: Knee-jerk in Diphtheria. HOLT: Multiple Neuritis. LE GENDRE: Antiseptic Treatment of Diphtheria. HOGEBOOM: Bicarbonate of Soda in Croup.
- Nose and Naso-Pharynx**, p. 200.—GOODWILLIE: Nasal Intubation. MAJOR: Chronic Nasal Catarrh. *IBID.*: Foreign Body in Nose. WYATT: Mucous Polypi. KAYSER: Upper Respiratory Tracts in Respiration. KONIG: Operation for Retronasal Polypi. WALLE: Clinical Remarks. FREUDENTHAL: Hernias and Nasal Obstruction. McDONAGH: Rhinoscleroma. PRINGLE; A Curious Accident.
- Mouth, Tonsils, Pharynx, &c.**, p. 203.—BARKER: Operation for Epithelioma. PAILEY: Treatment of Cancer. BARWELL: Excision of the Tongue. BROSIN: Black Tongue. BEISSEL: Syphilitic and Mercurial Ulcers of the Tongue. PETERSEN: Extra-genital Syphilitic Infection. ENGEL: Prophylaxis. LUCAS: Epithelioma of the Lip, &c. ROBERTSON: The Lingual Tonsil. DUNCAN: Adhesion of Palate to Pharynx. BLAIRS: Hæmorrhage after Tonsillotomy. LENNIX BROWNE: An Unrecognized Cause of some Throat Ailments. WAY: Suffocation from Phlegmonous Tonsillitis. PETEZYSKI: Acute Pharyngitis. OLTUSZEWSKI: Mycosis Leptothricia. SOTA: Œsophagotomy. STROEM: Foreign Body. Œsophagotomy. OPITZ: Blind Ending of the Œsophagus.
- Larynx**, p. 208.—PALMER: Intubation. ATHERTON: Fracture. SCHWEIG: Causes of Vocal Disturbance. MAJOR: Cases. SREBRNY: Tuberculosis. MAJOR: Arytenoid Disease. *IBID.*: Cases. STOERK: Cause of Shock after Extirpation. LEWIN; Perichondritis. BOSLEY: Laryngeal Stenosis. POLLAK: Laryngeal Syphilis. SOKOLOWSKI: Laryngeal Polypi. McDONAGH: Primary Tuberculosis. INGALS: Rheumatic Laryngitis. MAJOR: Nutshell in Larynx. PIENIONZCK: Pin in Bronchus. JURIST: Sarcoma of Larynx. SOLIS COHEN: Treatment of Intra Laryngeal Abscess. BARTHOLOW: Respiratory Neuroses. ROSEN: After-treatment of Tracheotomy. LOW and KINTZING: Spasmodic Asthma. BELL: Wound of Internal Jugular Vein. KURZ: Reflex Cough. HAJIK: Tubercular and Carcinomatous Perichondritis.
- Neck, &c.**, p. 216.—TAYLOR: Exophthalmic Goitre. LLOYD: *Ibid.* WOLFENDEN: *Ibid.* ROTH: Carcinoma of Thyroid. SHELSWELL: Myxœdema. WATT: *Ibid.* FRASER; Dyspnoea of Bronchitis. GROSS: Carcinoma of the Breast.
- Societies**, p. 218.—Edinburgh, Hamburg, Berlin, Riga, Erlangen, Stockholm, Toronto.
- Reviews**, p. 221.—GOTTSTEIN: Diseases of the Larynx. BULLAR, M. and J. F., Recipes for Fluid Foods.
- Notes**, p. 222.

THE BEST PEPSIN

Pepsin in Scales (Fairchild).—This is absolutely free from Starch, Milk, Sugar, Acids, Artificial Peptone, or any extraneous substance whatever. One grain of Pepsin (Fairchild) in *Scales* or *Powder* will digest 1,000 grains of albumen. By experience and constant experiment we have steadily refined and improved this product, and now present the peptic ferment in a state of marvellous activity, isolated from all reagents or impurities, and of demonstrated uniformity. We do not attempt to secure profit or cheapness of product by treating the entire stomach, and thus obtaining the admixture of a peptone or any albuminoid that is separable from the peptic ferment.

Pepsin (Fairchild) is supplied in the form of *scales for making solutions* and general manufacturing purposes, in the form of *powder for dispensing*, and in *Tabloids* (1 gr. each) *for easy administration to fastidious patients*. The Fairchild Pepsin is rapidly superseding the ordinary pepsins, many of which are utterly worthless. Fairchild's Pepsin is no more expensive than most of the common pepsins, though it possesses many times the strength and activity.

REDUCED PRICES:

					Retail Each.	Price to the Profession. Per doz.
Fairchild Pepsin in Scales	¼-oz bottles	...	2/0	20/0
"	"	"	1-OZ.	"	6/0	60/0
"	Pepsin Powdered	...	¼-oz.	"	2/0	20/0
"	"	"	1-OZ.	"	6/0	60/0
"	Pepsin Tabloids (1 gr.)	...	25 in bottle	...	1/6	14/0
"	"	"	100	"	4/6	42/0

BURROUGHS, WELLCOME, & CO., Snow Hill Buildings, LONDON, E.C.
SUPPLIED BY ALL CHEMISTS.