


THE
**JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE


RELATING TO

THE THROAT, NOSE, AND EAR.

*Printed and Published Monthly by
ADLARD & SON and WEST NEWMAN, Bartholomew Close, London, E.C.
(Temporary Address : 76, Newgate Street, E.C.)*



Rotary Blower with Electric Motor.



Etherization Apparatus.

**AN IMPROVED
PORTABLE APPARATUS
FOR THE
Intra-Tracheal
Administration
of Ether.**

Made after the design of
Mr. R. E. KELLY, F.R.C.S.,
Liverpool.

**DOWN BROS.,
LTD.,**

Surgical Instrument Makers

21 & 23, St. Thomas's Street


(OPPOSITE GUY'S HOSPITAL)

LONDON, S.E.

Telegrams :
"DOWN, LONDON."

Telephone :
Hop 4400 (4 lines).

GRANDS PRIX:
Paris 1900, Brussels 1910, Buenos Aires 1913



Gold Medal (Highest Award),
Allahabad 1910.

Prepaid Annual Subscription, £1 (5 dollars) post free.

Single Copies, Two Shillings.

ENTERED AT STATIONERS' HALL.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

J. W. BOND, M.D. (London).
(Pres. Laryng. Sect. R.S.M.)
A. CHEATLE, F.R.C.S.
(Pres. Otol. Sect. Internat. Cong.).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).
ALBERT A. GRAY, M.D. (Glasgow).
(Pres. Otol. Sect. R.S.M.)
WILLIAM HILL, M.D. (London).

J. MACINTYRE, M.B., C.M. (Glasgow).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).
Sir StCLAIR THOMSON, M.D., F.R.C.S. (London).
(Pres. Laryng. Sect. Internat. Cong.).
HERBERT TILLEY, M.D., F.R.C.S. (London).
LOGAN TURNER, M.D. (Edinburgh).
P. WATSON-WILLIAMS, M.D. (Bristol).
MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),
To whom all communications should be addressed.

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), H. S. BIRKETT (Montreal), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), DONELAN (London), CLAYTON FOX (London),
J. S. FRASER (Edinburgh), PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool),
A. HUTCHISON (Brighton), J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth),
CHICHELE NOURSE (London), W. G. PORTER (Edinburgh),
KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London),
LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham),
C. E. WEST (London), G. HAROLD L. WHALE (London),
WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRs. J. BARR (Glasgow), HUGO FREY (Vienna),
GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), MASSEI (Naples), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. LAMBERT LACK.
MR. WM. MOLLISON.
MR. C. H. HAYTON.

DR. J. S. FRASER.
MR. MACLEOD YEARSLEY.

DR. WM. HILL.
DR. J. D. MORTIMER.

SCHOOL HYGIENE.

Published under the auspices of

The Medical Officers of Schools Association.

QUARTERLY. ANN. SUB. 4/6 post free.

ADLARD & SON AND WEST NEWMAN. Temporary Address: 76, Newgate St., London, E.C.

CONTENTS.

Special Articles—	PAGE
Partial Resection or Window Resection of the Larynx for Intrinsic Malignant Disease.—H. LAMBERT LACK... ..	121
Removal of Carcinoma of the Hypopharynx with Plastic Restoration of the Lumen.—WM. MOLLISON, F.R.C.S.	129
Reports for the Year 1915 from the Throat and Ear Department of the Royal Infirmary, Edinburgh. An Investigation into the Results of the Submucous Resection of the Septum in Children.—CHARLES H. HAYTON, F.R.C.S.Ed.	132
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—LARYNGOLOGICAL SECTION.—Communications by IRWIN MOORE, F. A. ROSE, CHARLES A. PARKER, D. R. PATERSON, HERBERT TILLEY, W. M. MOLLISON, H. LAMBERT LACK, DAN MCKENZIE, WILLIAM HILL, GEORGE W. BADGEROW ...	139
Abstracts—	
PHARYNX.—The Bipolar Origin of the Fauical Tonsil.—The Relation of the Lymphoid Tissue in the Upper Respiratory Tract to the Voice	159
NOSE.—Pollen Therapy in Hay Fever.—Experiments with Autoserum in the Treatment of Hay Fever. The Relation of Anaphylaxis and Eosinophilia to Hay Fever. A General Survey of New Methods of Treatment	160
ŒSOPHAGUS.—Removal of an Open Safety-pin from the Œsophagus under Suspension	161
EAR.—Accidental Injuries of the Sigmoid Sinus inflicted in Simple Mastoidectomy.—The End Results of the Radical Mastoid Operation	161
MISCELLANEOUS.—Oral Tuberculosis.— <i>Streptococcus viridans</i> in its relation to Infections of the Upper Respiratory Tract	162
Review—	
Per-oral Endoscopy and Laryngeal Surgery. By CHEVALIER JACKSON (continued)	164
Correspondence	176

An Improved Antiseptic Silver Compound

FOR THE TREATMENT OF INFLAMMATIONS OF MUCOUS MEMBRANE

PROTOSIL is a proteid silver compound containing about 20 per cent. of the metal.

It is in the form of lustrous scales, **readily soluble** in water. The solution is **stable**, is **not precipitated** by proteids or alkalies, or by any of the reagents which affect most other silver solutions, and when applied to mucous surfaces it **does not cause coagulation** of albuminous matter or the precipitation of chloride. It **penetrates the tissues** and **destroys pathogenic bacteria**.

Even so strong a solution as 1 in 2 is **non-toxic** and **does not give rise to pain** or irritation.

PROTOSIL exerts an **antiseptic, astringent** and **sedative** influence upon mucous surfaces. Its application is indicated in **inflammatory conditions of the throat, nose, and ear**, in solutions of various strengths, according to the condition to be treated.

'Protosil' was formerly known as 'Silvol'; it is supplied in bottles of ½ ounce and 1 ounce, also in capsules containing 6 grains (a convenient quantity for preparing a little solution extemporaneously).

PARKE, DAVIS & Co., 50-54, Beak St., **LONDON, W.**
Regent St.,

THE CITY OF DIN

A TIRADE AGAINST NOISE

BY

DAN MCKENZIE, M.D.(GLASG.)

Demy 8vo, Cloth, 115 pp.

Price 3/6 net.

LONDON: ADLARD & SON AND WEST NEWMAN,
BARTHOLOMEW CLOSE, E.C.

Lancet.—"We have nothing but praise for this Annual."

34th Year. About 1,000 pages. 10/- net. Enriched with many Illustrations and Plates, in Colour and Black and White.

THE MEDICAL ANNUAL, 1916.

A DICTIONARY OF MATERIA MEDICA & THERAPEUTICS, and a DICTIONARY OF NEW TREATMENT. With Special Sections for NAVAL and MILITARY SURGERY, including Wound Infections; RADIO-ACTIVITY and ELECTRO-THERAPEUTICS; PUBLIC HEALTH, including Forensic Medicine, Hygiene, Industrial Diseases and Toxicology, and School Medical Service; INCOME TAX in Relation to the Medical Profession, etc.

Contributors:

E. WYLLYS ANDREWS, A.M., M.D., Chicago.
JOSEPH G. BLUMFELD, B.A., M.D.
FRANCIS D. BOYD, C.M.G., M.D., F.R.C.P.
FRANCIS J. CHARTERIS, M.D., B.CH.
JOHN D. COMRIE, M.A., M.D.
LEWIS A. CONNER, Ph.B., M.D., New York.
CAREY F. COOMBS, M.D., M.R.C.P.
JOHN S. FRASER, M.B., Ch.B., F.R.C.S.
HERBERT FRENCH, M.A., M.D., F.R.C.P.
BRYDEN GLENDINING, M.S., M.B., F.R.C.S.
EDWARD W. GOODALL, M.D., B.S.
OSKAR C. GRUNER, M.D. Lond.
C. THURSTAN HOLLAND, M.R.C.S., L.R.C.P.
J. RAMSAY HUNT, M.D., New York.

ROBERT HUTCHISON, M.D., F.R.C.P.
A. CONYERS INMAN, M.A., M.B., B.Ch.
FREDERICK LANGMEAD, M.D., F.R.C.P.
E. G. GRAHAM LITTLE, M.D., F.R.C.P.
CHARLES FRED. MARSHALL, M.D., F.R.C.S.
BEDFORD PIERCE, M.D., F.R.C.P.
JOSEPH PRIESTLEY, B.A., M.D., D.P.H.
SIR LEONARD ROGERS, Lt.-Col. I.M.S., M.D.,
F.R.C.S., Calcutta.
JAMES SEARSON, M.D.
A. HUGH THOMPSON, M.A., M.D.
J. W. THOMSON WALKER, F.R.C.S.
W. IRELAND DE COURCY WHEELER, B.A., M.D.
A. GASCOIGNE WILDEY, Dep. Surg.-Gen., R.N.

ERNEST JEFFERIS (Income Tax).

Journal of State Medicine.—"No medical man can afford to do without this Annual."

Glasgow Medical Journal.—"The amount of information contained in the volume is almost incredible, and nothing of the nature of new discovery has been omitted."

Journal of the Royal Naval Medical Service.—"The work is invaluable to those wishing to keep pace with modern theory and practice, and should be carefully read."

New York Medical Journal.—"The general practitioner may well feel grateful for this work, even if he has been a fairly diligent reader of the medical periodicals."

BRISTOL, ENG.: JOHN WRIGHT & SONS LTD.
LONDON: SIMPKIN, MARSHALL, HAMILTON, KENT & CO. LTD.