

## Index of Subjects

- Aeromonas*, a modification of bile salts brilliant green agar for isolation of motile, from foods and environmental specimens, 331
- Aeromonas*, epidemiological complexity of hospital, infections revealed by electrophoretic typing of esterases, 5
- Antibiotic resistance, occurrence of multiple, and R-plasmids in gram-negative bacteria isolated from faecally contaminated fresh-water streams in Hong Kong, 285
- Badgers, experimental infection of, (*Meles meles*) with *Mycobacterium bovis*, 145
- Badgers, the immunological consequences of challenge with bovine tubercle bacilli in, (*Meles meles*), 155
- Beef carcasses, bacteriological status of, at a commercial abattoir before and after slaughterline improvements, 81
- Botulism, poultry waste associated type C, in cattle, 73
- Bovine tubercle bacilli, the immunological consequences of challenge with, in badgers (*Meles meles*), 155
- Campylobacter*, application of three typing schemes (Penner, Lior, Preston) to strains of, spp. isolated from three outbreaks, 139
- Campylobacter jejuni* in dairy cows and raw milk, 263
- Cattle, poultry waste associated type C botulism in, 73
- Cefotaxime, the effect of selective decontamination of the digestive tract with the addition of systemic, on the aerobic faecal flora of mice, 385
- Chicken, inhibition of colonization of the, alimentary tract with *Salmonella typhimurium* by gram-negative facultatively anaerobic bacteria, 311
- Chlamydiae*, clinical conditions associated with positive complement fixation serology for, 101
- Chloramphenicol, does, remain the drug of choice for typhoid, 379
- Chlorhexidine-, comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on triclosan- and, containing handwash preparations, on volunteers, 337
- Clostridium botulinum*, factors affecting the toxicity of rotting carcasses containing, type C, 345
- Cows, *Campylobacter jejuni* in dairy, and raw milk, 263
- Escherichia coli* flagellar serotyping is as reliable as it has always been, 221
- Esterases, epidemiological complexity of hospital aeromonas infections revealed by electrophoretic typing of, 5
- Ewes, *Mycoplasma californicum* mastitis in, as an experimental model for antibiotic treatment, 369
- Food-handler, the carrier, and non-typhoid salmonellosis, 223
- Gardnerella vaginalis*, extra-vaginal infection caused by, 131
- Gastrointestinal, common respiratory and, illness in paediatric student nurses and medical technology students, 33
- Handwash, comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on triclosan- and chlorhexidine-containing, preparations on volunteers, 337
- Hepatitis A, frozen raspberries and, 109
- Hepatitis A, studies on heat inactivation of, virus with special reference to shellfish, 397
- Legionella pneumophila* in a hospital water system following a nosocomial outbreak: prevalence, monoclonal antibody subgrouping and effect of control measures, 253
- Leptospira interrogans* serovar *hardjo*, experimental infection of monkeys with, 191

- Leptospirosis, epidemiological studies on, in Chiang Mai (Thailand), 97
- Mice, the effect of selective decontamination of the digestive tract with the addition of systemic cefotaxime on the aerobic faecal flora of, 385
- Milk, *Campylobacter jejuni* in dairy cows and raw, 263
- Mite fauna of dust from passenger trains in Glasgow, 127
- Mycobacterium bovis*, experimental infection of badgers (*Meles meles*) with, 145
- Mycoplasma californicum* mastitis in ewes as an experimental model for antibiotic treatment, 369
- Mycoplasma hominis*, prevalence and significance of, and *Ureaplasma urealyticum* in the urines of a non-venereal disease population, 353
- Mycoplasma mycoides* ssp. *mycoides*, antibiotic sensitivity and mutation rates to antibiotic resistance in, 361
- Myxoma, changes in the virulence of, virus strains in Britain, 113
- Myxomatosis, possible windborne spread of, to England in 1953, 119
- Neurosurgical, plasmid analysis as an epidemiological tool in, infections with coagulase-negative staphylococci, 231
- Pig carcasses, bacterial populations on dressed, 15
- Pigs, effect of time in lairage on caecal and carcass salmonella contamination of slaughter, 323
- Plasmids, occurrence of multiple antibiotic resistance and R-, in gram-negative bacteria isolated from faecally contaminated fresh-water streams in Hong Kong, 285
- Plasmids, restriction enzyme fingerprinting of trimethoprim resistance, 241
- Q fever in the Netherlands: a sero-epidemiological survey among human population groups from 1968 to 1983, 211
- Resistance, trimethoprim, in commensal bacteria isolated from farm animals, 87
- Respiratory, a comparison of the distribution of pneumococcal types in systemic disease and the upper, tract in adults and children 203
- Respiratory, common, and gastrointestinal illness in paediatric student nurses and medical technology students, 33
- Respiratory, seroepidemiological studies on the occurrence of common, infections in paediatric student nurses and medical technology students, 47
- Salmonella, a comparative study of strains of, isolated from irrigation waters, vegetables and human infections, 271
- Salmonella, effect of time in lairage on caecal and carcass, contamination of slaughter pigs, 323
- Salmonella* subspecies II, the prevalence of human isolates of, in southern Africa, 25
- Salmonella typhimurium*, inhibition of colonization of the chicken alimentary tract with, by gram-negative facultatively anaerobic bacteria, 311
- Salmonellas, assessment of an enzyme immunoassay for the detection of, in foods and animal feeding stuffs, 301
- Salmonellas, isolation of, from humans and foods in the Manchester area: 1981–1985, 277
- Salmonellosis, the carrier food-handler and non-typhoid, 223
- Shellfish, studies on heat inactivation of hepatitis A with special reference to, 397
- Shigellosis in the south-western Cape of Good Hope 1968–85, 165
- Staphylococci, plasmid analysis as an epidemiological tool in neurosurgical infections with coagulase-negative, 231
- Streptococcus zooepidemicus*, characterization of, (Lancefield group C) from human and selected animal infections, 171
- Streptococcus zooepidemicus*, human infection with, (Lancefield group C): three case reports, 183
- Tetanus toxoid, detection of, antibodies in human sera in New Zealand by ELISA, 199
- Trichuris trichiura*, predisposition to, infection in humans, 65

- Triclosan-, comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on, and chlorhexidine-containing handwash preparations, on volunteers, 337
- Trimethoprim resistance in commensal bacteria isolated from farm animals, 87
- Trimethoprim, restriction enzyme fingerprinting of, resistance plasmids, 241
- Typhoid, does chloramphenicol remain the drug of choice for, 379
- Ureaplasma urealyticum*, prevalence and significance of *Mycoplasma hominis* and, in the urines of a non-venereal disease population, 353