

BULLETIN
OF
ENTOMOLOGICAL RESEARCH

ISSUED BY THE
ENTOMOLOGICAL RESEARCH COMMITTEE
APPOINTED BY THE COLONIAL OFFICE.

EDITOR: THE SCIENTIFIC SECRETARY.

VOL. III.

LONDON:
SOLD BY
DULAU & Co., Ltd., 37, SOHO SQUARE, W.
1912.

CONTENTS.

ORIGINAL ARTICLES.

AUSTEN, ERNEST E.	PAGE.
A new species of <i>Stygeromyia</i> (Family Muscidae, Sub-family Stomoxydinae) from the East Africa Protectorate	97
Notes on African blood-sucking midges (Family Chironomidae, Sub-family Ceratopogoninae) with descriptions of new species...	99
New African Tabanidae.—Part I	113
New African Tabanidae.—Part II	329
New African Tabanidae.—Part III	399
A new species of <i>Hippobosca</i> from Northern Rhodesia	417
CARPENTER, PROF. GEORGE H.	
A new West African Spring-tail	79
CUMMINGS, BRUCE F.	
Anoplura from African hosts	393
DEWITZ, DR. J.	
The bearing of physiology on economic entomology	343
DURRANT, JOHN HARTLEY.	
Notes on Tineina bred from cotton-bolls	203
EDWARDS, F. W.	
A synopsis of the species of African Culicidae other than <i>Anopheles</i> ...	1
A key for determining the African species of <i>Anopheles</i> (sensu lato) ...	241
Revised keys to the known larvæ of African Culicinae	373
FELL, T. E.	
Notes on Tsetse-flies and on prophylactic measures against Sleeping Sickness in the Western Province of Ashanti	227
(28784—2.) Wt. P 11—21 1000. 3/13. D & S.	

	PAGE.
GOWDEY, C. C.	
On the utilisation of an indigenous African silkworm (<i>Anaphe infracta</i> , Wlsm.) in Uganda	269
HIRST, STANLEY.	
On a new species of mite (<i>Tarsonemus</i>) injurious to sugar-cane in Barbados	325
On two new parasitic Acari of the genus <i>Leiognathus</i> , Cn. (Gamasidae) ...	369
HOWARD, C. W.	
Insects directly or indirectly injurious to man and animals in Mozambique, East Africa	211
INGRAM, DR. A.	
Notes on the mosquitos observed at Bole, Northern Territories, Gold Coast	73
KING, HAROLD H.	
Observations on the occurrence of <i>Glossina</i> in the Mongalla Province of the Anglo-Egyptian Sudan	89
LLOYD, LL.	
Notes on <i>Glossina morsitans</i> in Northern Rhodesia	95
Notes on <i>Glossina morsitans</i> , Westw., in the Luangwa Valley, Northern Rhodesia	233
McCONNELL, DR. ROBERT E.	
Notes on the occurrence and habits of <i>Glossina fuscipes</i> in Uganda... ...	55
MACFIE, DR. J. W. SCOTT.	
Experiments and observations upon <i>Glossina palpalis</i>	61
MOISER, DR. BERNARD.	
Notes on the haunts and habits of <i>Glossina tachinoides</i> , near Geidam, Bornu Province, Northern Nigeria	195
NEAVE, S. A.	
Notes on the blood-sucking insects of Eastern Tropical Africa	275
NEWSTEAD, PROF. R	
On the characteristics of the newly-discovered tsetse-fly, <i>Glossina austeni</i> , Newstead ; with descriptions of the genital armature of <i>Glossina fusipleuris</i> , Austen, and <i>Glossina longipennis</i> , Corti	355
Notes on <i>Phlebotomus</i> , with descriptions of new species.—Part I. ...	361
NICHOLLS, LUCIUS.	
The transmission of pathogenic micro-organisms by flies in St. Lucia ...	81
Some observations on the bionomics and breeding-places of <i>Anopheles</i> in Saint Lucia, British West Indies	251

CONTENTS.

v

	PAGE.
POLLARD, DR. J.	
Notes on the tsetse-flies of Muri Province, Northern Nigeria ...	219
SIMPSON, DR. JAS. J.	
Entomological Research in British West Africa. III.—Southern Nigeria ...	137
STANTON, A. T.	
On the changes which occur in certain characters of <i>Anopheles</i> larvae in the course of their growth ...	387
SUMMERS, SOPHIA L. M.	
A new species of <i>Phlebotomus</i> from South America ...	209

MISCELLANEOUS.

Collections received	109, 225, 339, 419
Tabanidae attracted by Scale-insects	223

PLATES.

	PAGE.
I. Wings of African <i>Culicoides</i> <i>to face</i> 108
II. to V. Cattle and Views in Southern Nigeria „ 194
VI. to IX. Breeding-places of <i>Anopheles</i> in St. Lucia, B.W.I.	„ 268
X. and XI. African Tabanidae	„ 324

MAPS.

	PAGE.
Map showing distribution of <i>Glossina palpalis</i> and <i>G. morsitans</i> in Southern Sudan <i>to face</i> 92
Map of S. Nigeria showing distribution of <i>Glossina</i>	„ 194
Sketch-map of R. Wobe, N. Nigeria, showing localisation of <i>Glossina tachinoides</i>	„ 202
Sketch-map of Muri Province, N. Nigeria, showing distribution of <i>Glossina</i> „	221

ILLUSTRATIONS IN THE TEXT.

	PAGE.
Terminal segments of female of : <i>Culex tigripes</i> var. <i>fuscus</i> ; <i>Mimomyia hispida</i> ;	
<i>Ochlerotatus cumminsi</i> 5	
<i>Stegomyia fraseri</i> , sp. n., head, thorax and apex of abdomen of ♀ ...	11
<i>Ochlerotatus longipalpis</i> , Grünb., head, thorax and apex of abdomen of ♀ ...	18
<i>Ochlerotatus fascipalpis</i> , sp. n. 19	
<i>Culex ager</i> , Giles, var. n. <i>ethiopicus</i> , wing 30	
Head and thorax of ♂ of :—	
<i>Uranotaenia connali</i> , sp. n. 40	
" <i>ornata</i> , Theo. 43	
<i>Eretmopodites quinquevittatus</i> , Theo. ...	46
<i>Eretmopodites chrysogaster</i> , Graham, larva and pupa ...	47
<i>Chaoborus pallidipes</i> , Theo., head and thorax of ♀ ...	48
<i>Glossina palpalis</i> , diagram of vesica 56	
<i>Mansonioides uniformis</i> , Theo., early stages ...	76
<i>Isotoma fasciata</i> , sp. n., side view, ocelli and post-antennal organ, mandible, tip of fore-foot with claw, tibio-tarsus of hind leg, catch, dentes and mucrones	80
<i>Drosophila melanogaster</i> , Mg. 82	
<i>Sarcophaga aurifinis</i> , Walk. 85	
<i>Oscinella pallipes</i> , Lw. 86	
<i>Limosina punctipennis</i> , Wd. 87	
Chalcid ovipositing in larva of <i>Sarcophaga</i> 88	
<i>Glossina morsitans</i> : preparation of salivary glands and proboscis (semi- diagrammatic) 96	
<i>Silvius fallax</i> , Aust., ♀ ...	114
<i>Cadicera speciosa</i> , Aust., ♀ ...	120
<i>Pangonia comata</i> , Aust., ♂ ...	123
<i>Subpangonia grahami</i> , Aust. ♀ ...	127
<i>Tabanus canofasciatus</i> , Aust., ♀ ...	129
" <i>tenuipalpis</i> , Aust., ♀ ...	131
<i>Hippocentrum murphyi</i> , Aust., ♀ ...	135
<i>Gelechia gossypiella</i> , Sndrs., ♂ ...	204
<i>Pyroderces simplex</i> , Wlsm., ♀ ...	206
" <i>rileyi</i> , Wlsm., ♀ ...	207
<i>Phlebotomus rostrans</i> , Summers; wing; genitalia, ♂; maxillary palp, ♀ ...	209
Larvae of <i>Anopheles (Nyssorhynchus)</i> ...	252
Pupa of <i>Anopheles albimanus</i> ...	254
Nest of <i>Anaphe infracta</i> ...	270
Soaking nests of <i>Anaphe</i> to soften hairs ...	272

	PAGE.
<i>Tarsonemus spinipes</i> , Hirst, ♂ ; dorsal and ventral views ...	326
" " " ♀ ; ventral view ...	327
Male armatures of :—	
<i>Glossina austeni</i> , Newst. ...	357
" <i>fuscipleuris</i> , Aust. ...	358
" <i>longipennis</i> , Corti ...	360
<i>Palpi of Phlebotomus</i> ...	361
<i>Antennae of Phlebotomus</i> ...	362
<i>Wings of Phlebotomus</i> ...	364
<i>Leiognathus creightoni</i> , Hirst, ♀ ; dorsal and ventral aspects ...	370
" <i>liberiensis</i> , Hirst, ♀ ; ventral aspect ...	371
<i>Stegomyia sugens</i> , Wied. ; larva ...	375
<i>Ochlerotatus nigeriensis</i> , Theo. ; larva ...	377
<i>Mansonioides africanus</i> , Theo. ; larva ...	377
<i>Aëdomyia catasticta</i> , Knab ; larva ...	378
" " " " " ...	379
<i>Culex ager</i> , Giles, var. <i>ethiopicus</i> , Edw. ; larva ...	380
" <i>annulioris</i> , Theo. ; larva ...	382
" <i>invidiosus</i> , Theo. ; larva ...	382
<i>Ingramia malfeysi</i> , Newst. ; larva ...	384
Head of <i>Anopheles</i> larva showing clypeal and frontal hairs ...	388
<i>Anopheles albirostris</i> ; larva ; head and thorax, showing hairs, 388 ; abdominal segments, showing leaflets and papilla, 389 ; head, showing change after first moult, 389 ; cockade or "palmate hair," 389 ; head and thorax of full-grown larva ...	390
<i>Neohaematopinus heliosciuri</i> , Cummings, ♂ ...	394
<i>Polyplax otomydis</i> , Cummings, ♀ ...	396
<i>Haematopota grahami</i> , Aust., ♀ ...	405
" <i>rubens</i> , Aust., ♀ ...	410
" <i>beringeri</i> , Aust., ♀ ...	413
" <i>crudelis</i> , Aust., ♀ ...	415